Ple se type a plus sign (+) inside this box TM

Application Number 10/047,976 Substitute for form 1449A/PTO **Filing Date** 1/13/02 ORMATION DISCLOSURE First Named Inventor Steven Teig **STATEMENT BY APPLICANT** Group Art Unit 2825 (use as many sheets as necessary) **Examiner Name** Sheet 1 1 of Attorney Docket Number SPLX.P0084

			U.S. PATENT DOCUMENT	s			
Examiner* Initials	Cite No.1	Number Kind Code (if known		Date of Publication MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		
V'S	1.	2001/ 0003843 A1	Scepanovic et al.	06-14-01			
	2.	4,615,011	Linsker	09-30-86			
	3.	4,673,966	Shimoyama	06-16-87			
	4.	4,782,193	Linsker	11-01-88	./		
	5.	4,855,929	Nakajima	08-08-89			
	6.	5,097,422	Corbin II et al.	03-17-92			
	7.	5,251,147	Finnerty	10-05-93			
	8.	5,281,151	Arima et al.	01-25-94			
	9.	5,360,948	Thornberg .	11-01-94			
	10.	5,375,069	Satoh et al.	12-20-94			
	11.	5,532,934	Rostoker	07-02-96			
	12.	5,578,840	Scepanovic	11-26-96	$\overline{}$		
	13.	5,633,479	Hirano	05-27-97			
	14.	5,634,093	Ashida et al.	05-27-97			
	15.	5,636,125	Rostoker et al.	06-03-97	./ \		
	16.	5,650,653	Rostoker et al.	07-22-97			
	17.	5,657,242	Sekiyama et al.	08-12-97			
	18.	5,723,908	Fuchida et al.	03-03-98	//		
	19.	5,742,086	Rostoker et al.	04-21-98			
	20.	5,757,656	Hershberger et al.	05-26-98			
	21.	5,777,360	Rostoker et al.	07-07-98			
	22.	5,811,863	Rostoker et al.	09-22-98			
	23.	5,822,214	Rostoker et al.	10-13-98			
	24.	5,859,449	Kobayashi et al.	01-12-99			
V3	25.	5,898,597	Scepanovic et al.	04-27-99	 		

Examiner Signature VWTHE SIEK	Date Considered	8/28/2003
-------------------------------	--------------------	-----------

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Please types plus sign (+) inside this box ™

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 2 of

2

Application Number	10/047,976
Filing Date .	1/13/02
First Named Inventor	Steven Teig
Group Art Unit	2825
Examiner Name	
Attorney Docket Number	SPLX.P0084

				U.S. PATENT DO	CUMENTS	
VS	26.	5,914,887		Scepanovic et al.	06-22-99	
	27.	5,973,376		Rostoker et al.	10-26-99	
	28.	6,035,108		Kikuchi -	03-07-00	
	29.	6,058,254		Scepanovic et al.	05-02-00	
	30.	6,067,409		Scepanovic et al.	05-23-00	
	31.	6,068,662		Scepanovic et al.	05-30-00	
	32.	6,123,736		Pavisic et al.	09-26-00	
	33.	6,134,702		Scepanovic et al.	10-17-00	
	34.	6,155,725		Scepanovic et al.	12-05-00	
	35.	6,175,950	B1	Scepanovic	01-16-01	\/ .
	36.	6,216,252	B1	Dangelo et al.	04-10-01	V
	37.	6,230,306	B1	Raspopovic et al.	05-08-01	\ \
	38.	6,247,167	B1	Raspopovic et al.	06-12-01	
	39.	6,260,179	B1	Ohsawa et al.	07-10-01	
	40.	6,262,487	B1	Igarashi et al.	07-17-01	
	41.	6,289,495	B1	Raspopovic	09-11-01	
	42.	6,301,686	B1	Kikuchi et al.	10-09-01	7
	43.	6,327,694	B1	Kanazawa	12-04-01	
	44.	6,378,121	B2	Hiraga	04-23-02	
	45.	6,385,758	B1	Kikuchi et al.	05-07-02	
	46.	6,401,234	B1	Alpert et al.	06-04-02	-/
	47.	6,405,358	B1	Nuber	06-11-02	
	48.	6,412,097	B1	Kikuchi et al.	06-25-02	
	49.	6,412,102	B1	Andreev et al.	06-25-02	
	50.	6,436,804	B2	lgarashi et al.	08-20-02	
	51.	6,446,245	B1	Xing et al.	09-03-02	
VS	52.	6,516,455	B1	Teig et al.	02-04-03	1

Examiner Signature VUTITE SLEK Date Considered SIR 2003		_		·				
	Examiner		>16K		Date Considered	T	X12X12205	

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

SPLX.P0084

ne a plus sign (+) inside this box ™

3

of

3

Sheet

Substitute for form 1449A/PTO

Application Number 10/047,976

Filing Date 1/13/02

First Named Inventor Steven Teig

Group Art Unit Crown Art Unit Crown Number 10/047,976

Filing Date 1/13/02

First Named Inventor Steven Teig

Group Art Unit Crown Number 10/047,976

Filing Date 1/13/02

First Named Inventor Steven Teig

Group Art Unit Crown Number 10/047,976

Fixed Named Inventor Steven Teig

Fixed Number 10/047,976

Attorney Docket Number


U.S. PATENT DOCUMENTS								
1/5	53.	6,516,455	B1	Teig et al.	02-04-03			
1/5	54.	2003/0025 205	A1	Shively	02-06-03			

FOREIGN PATENT DOCUMENTS									
Examiner* Initials	Cite No. 1 Foreign Patent Document Kind Code Office ³ Number ⁴ (if known) ⁵		Kind Code	Name of Patentee or Applicant of Cited Document	Date of Publication MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear			
1/5	55.	JP	64-15947		Ouchi	01-19-89			
VS	56.	JP	04000677		Fujiwara et al.	01-1992			

Examiner Signature VuTHE	SIFIC	Date Considered	8/28/2003
Tighters		Considerça	

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.



2 8 2003 E	Substitute for form 1	1449A/F	סדי	Application Number	10/047,976	· · · · · · · · · · · · · · · · · · ·
\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Substitute for form 1 RMATION DI	001	OCUDE	Filing Date	1/13/02	
RADEMATINE O	TEMENT BY	2001 VDDI	USUKE ICANT	First Named Inventor	Steven Teig	
JIA	I CIVICIA I DI I	~! I L		Group Art Unit	7345	
(u	se as many sheets a	as nece	ssary)	Examiner Name		
Sheet	4	of	4	Attorney Docket Number	SPLX.P0084	"

		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS	
Examiner* Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶
V.S 57.		A.H. Farrahi, et al., Quality of EDA CAD Tools: Definitions, Metrics and Directions, Quality Electronic Design, 2000, Proceedings of the first International Symposium on March 2000, pp 395-405.	
)	58.	A. Vannelli, et al., An adaptation of the interior point method for solving the global routing problem, 2/1991, IEEE pp 193-203.	
	59.	B. Berger, et al., Nearly Optimal Algorithms and Bounds for Multilayer Channel Routing, Journal of the Association for Computing Machinery, pp. 500-542, March 1995.	
	60.	C. Chiang, et al., Wirability of Knock-Knee Layouts with 45° Wires, IEEE Transactions on Circuits and Systems, Vol. 38, Issue 6, pp 613-624, June 1991.	
	61.	G. Overtone, EDA Underwriter 2 Finding Space in a Multi Layer Board, Electronic Engineering, Morgan-Grampian LTD, vol. 67, No. 819, pp 29-30.	
	62.	G.D. Hachtel et al., Linear Complexity Algorithms for Hierarchical Routing, 1/89, IEEE pp 64-80.	
	63.	J.D. Cho, et al., Four-Bend Top Down Global Routing, IEEE, pp 793-802, 1998.	
	64.	J. Su et al., Post Route Optimization for Improved Yield Using Rubber-Band Wiring Model, 1997 International Conference on Computer-Aided Design, pp 700-706, November 1997.	
	65.	J. Vicente, RSR: A New Rectilinear Steiner Minimum Tree Approximation for FPGA Placement and Global Routing, Proceedings of the 24 th Euro Micro Conference, pp 192-195, August 1998.	
	66.	K. Powers et al., The 60° Grid: Routing Channels in Width d/square root 3, VLSI, 1991, Proceedings., First Great Lakes Symposium on Kalamazoo, MI, USA, pp 214-291, March 1991.	
	67.	M. Alexander et al., Performance-Oriented Placement and Routing for field-programmable gate arrays, Proceedings of the European Design Automation Conference, pp 80-85, 1995.	
	68.	M. Alexander et al., Placement and Routing for Performance-Oriented FPGA Layout, VLSI Design, Vol. 7, No. 1, 1998.	
	69.	M. Igarashi et al., A Diagonal-Interconnect Architecture and Its Application to RISC Core Design, 2002 IEEE Solid-Sate Circuits Conference, pp 210-460, February 2002.	
	70.	P. Dood, et al., A Two-Dimensional Topological Compactor with Octagonal Geometry, 28 th ACM/IEEE Design Automation Conference, pp 727-731, July 1991	
	71.	P. Parakh, et al., Congestion Driven Quadratic Placement, Proceedings of Design Automation Conference, 1998, pp 275-278.	
1/9	72.	R. Putatunda et al., VITAL: Fully Automatic Placement Strategies for Very Large Semicustom Designs, Proceedings of the International Conference on Computer Design: VLSI in Computers and Processors, pp 434-439 October 1988.	

Examiner	11	~ • •	l Date	\sim 1 -1
	UNTHE	$\langle 1 = V \rangle$	- Jake	X/08/0903
I Signature I	11001116	ou -	l Considered I	i Urrorray

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

•	•'		•	
61	Pe	E	type a plus sign (+) inside this box	тм +
₹.			3	•

(Z)				, atom and ma	demark office. G.G. Bel Arthur of Goldwerte
ربو 2003 ع	Substitute for form	1449A/F	PTO	Application Number	10/047,976
ادي -	CDMATION DIGGL COURT			Filing Date	1/13/02
FORMATION DISCLOSURE RADENT BY APPLICANT				First Named Inventor	Steven Teig
RADEMIN	ALMILINI DI	~	LICANI	Group Art Unit	7823
(use as many sheets as necessary)				Examiner Name	
Sheet	5	of	5	Attorney Docket Number	SPLX.P0084
(use as many sheets as necessary)				Examiner Name	

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS								
VS 73.		S. Dutt, et al., Probability-Based Approaches to VLSI Circuit Partitioning, IEEE Trans. On Computer Aided Design of IC's and Systems, Vol. 19, No. 5, May 2000, pp 534-549.						
(74.	Y. Sekiyama et al., Timing-Oriented Routers for PCB Layout Design of High-Performance Computers, International Conference on Computer Aided Design, pp 332-335, November 1991.						
	75.	C. Leiserson et al., Algorithm for Routing and Testing Routability of Planar VLSI Layouts, pp 69-78, May 1985.						
	76.	S. Das et a., Channel Routing in Manhattan-Diagonal Model, 9 th International Conference on VLSI Design, January 1996. pp 43-48.						
	77.	W. Wei-Ming Dai et a., Routability of a Rubber-Band Sketch. 28 th ACM/IEEE Design Automation Conference, 1991. pp 45-65.						
	78.	H. Chen, Routing L-Shaped Channels in Nonslicing-Structure Placement. 24 th ACM/IEEE Design Automation Conference, pp 152-165, 1987.						
	79.	I. Tollis, Techniques for Wiring in Non-Square Grids, pp 66-69. May 1989.						
	80.	E. Lodi et al., A 2d Channel Router for the Diagonal Model, pp 111-125, April 1991.						
	81.	E. Lodi et al., Routing in Times Square Mode, pp 41-48, June 1990.						
	82.	K. Cheng-Kok et al., Manhattan or Non Manhattan? A Study of Alternative VLSI Routing Architectures. pp 47-52, 2000						
	83.	E. Lodi et al., Routing Multiterminal Nets in a Diagonal Model, pp 899-902, 1988.						
	84.	D. Staepelaere et al., Surf: A Rubber-Band Routing System for Multichip Modules. pp 18-26, 1993.						
	85.	S. Das et al., Routing of L-Shaped Channels, Switch boxes and Staircases in Manhattan-Diagonal Model, pp 65-70m January 1998.						
	86.	W. Schiele et al., A Gridless Router for Industrial Design Rule, 27 th ACM/IEEE Design Automation Conference, pp 626-631, 1990.						
Ý5	87.	J. Nester, A New Look at Hardware Maze Routing, Proceedings of the 12 th ACM Symposium on Great Lakes Symposium on VLSI, pp 142-147, April 2002.						

xaminer VV 116 C.C.K. Dai	ate I 🗕		
1/1/1 P1 f	I A	5/98//	2-203
Signature 7 CO	onsidered U	<u> 140 L</u>	(100)

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.